

SUPPLEMENT TO

The Gazette of India



सत्यमेव जयते

No. 45] NEW DELHI, SATURDAY, DECEMBER 7, 1957/AGRAHAYANA 16, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th November, 1957

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Andhra Pradesh								Bihar—contd.								Bombay															
Visakhapatnam	5	1	Shahbad	6	4	Greater Bombay	5	1											
West Godavari	4	2	Champanan	12	8	Banas Kantha	4	1											
Krishna	14	2	Darbhanga	7	3	Kaira	5	5											
Guntur	5	..	2	Monghyr	41	14	50	35	East Khandesh	3											
Nellore	3	2	6	1	Bhagalpur	3	3	Kolhapur	21	4											
Kurnool	2	2	15	9	Santal Paraganas	29	10	Poona	4											
Cuddapah	17	3	Hazaribagh	3	2	20	5	Sholapur	5	2											
Chittoor	6	2	Palamau	2	1	West Khandesh	1	1											
Warrangal	2	TOTAL	131	57	87	48	Amraoti	2											
Medak	2	Total for w/c 2-11-57	144	61	59	35	Chanda	10	1											
Nalgonda	18	2	" " 26-10-57	163	66	33	18	Nagpur	37	21											
Hyderabad	12	6	2								Wardha	9	3											
TOTAL	46	14	67	20								Yeotmal	8	2	1											
Total for w/c 2-11-57	54	30	128	26								Osmanabad	21	2											
" " 26-10-57	"N.R."																														
Assam								Bihar																							
Goalpara	13	13	Patna	24	8	2																		
Kamrup	2	..	2	Gaya	17	11	2	1																		
Sibsagar	15	2																									
TOTAL	15	13	17	2																									
Total for w/c 2-11-57	11	5	17	5																									
" " 26-10-57	61	22	1																									

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; "N.R." Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th November, 1957—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay—<i>contd.</i>								Mysore							
Ahmednagar . . .	4	2	..	—	"N.R."							
TOTAL . . .	107	36	33	9	—	Orissa							
Total for w/c 2-II-57	127	32	45	9	Sambalpur . . .	3	2	3
Total for w/c 26-IO-57	373	94	66	13	Ganjam	53	16
Delhi								Dhenkanal	3	3
"N.R."								Keonjhar . . .	1	1	6
Himachal Pradesh								Cuttack	21	2
"N.R."								Balasore . . .	4	2	1	—
Kerala								Puri	57	13
"N.R."								Baudh	5
Madhya Pradesh								Koraput	3	1
"N.R."								TOTAL . . .	8	5	152	35
Madras								Total for w/c 2-II-57	6	3	211	52
Madras City . . .	44	9	41	10	" " " 26-IO-57	3	3	99	24
Chingleput . . .	10	4	4	1	Pondicherry							
South Arcot . . .	24	19	49	16	TOTAL	10	10
Tiruchirappalli . . .	2	2	4	1	Total for w/c 2-II-57	7	2
Tanjore . . .	14	10	2	2	" " " 26-IO-57
Madurai . . .	17	6	26	13	Punjab							
Ramanathapuram	61	12	Rohtak	2
Tirunelveli . . .	3	3	Jullundhur	1	1
North Arcot . . .	14	3	7	2	Ferozepur	2	3
Salem	51	14	TOTAL	5	4
Coimbatore	8	Total for w/c 2-II-57	7	4
Nilgiris	1	2	" " " 26-IO-57	35	3
Kanya Kumari	2	1	Rajasthan							
"TOTAL . . .	128	56	256	74	"N.R."							
Total for w/c 2-II-57	92	38	205	70	Tripura							
" " " 26-IO-57	89	32	163	51	TOTAL	14	1
Manipur								Total for w/c 2-II-57
TOTAL	Total for w/c 26-IO-57	2	1
Total for w/c 2-II-57								
" " " 26-IO-57								

Explanation of symbols used: C.—Cases ; D.—Deaths ; ..=Nil ; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th November, 1957—*contd.*

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
Uttar Pradesh																ARREAR INFORMATION																															
Allahabad																Bihar																															
Deoria																For w/e 2-11-57																															
Kanpur																Patna																															
Mainpuri																Gaya																															
Meerut																Shahbad																															
Mathura																Monghyr																															
Agra																Bhagalpur																															
Etawah																Hazaribagh																															
Banaras																TOTAL																															
TOTAL																West Bengal																															
Total for w/e 2-11-57																For w/e 2-11-1957																															
Total for w/e 26-10-57																Burdwan																															
																Birbhum																															
																Midnapur																															
																Hooghly																															
																Howrah																															
																24-Paraganas																															
																Calcutta																															
																Murshidabad																															
																West Dinajpur																															
																Malda																															
																TOTAL																															
West Bengal																Himachal Pradesh																															
Burdwan																For w/e 2-11-57																															
Birbhum																TOTAL																															
Midnapur																																															
Hooghly																																															
Howrah																																															
24-Parganas																																															
Calcutta																																															
Murshidabad																																															
Malda																																															
TOTAL																Jammu and Kashmir																															
Total for w/e 2-11-57																For w/e 14-9-57																															
Total for w/e 26-10-57																TOTAL																															
																For w/e 21-9-57																															
																TOTAL																															
																For w/e 5-10-57																															
																TOTAL																															
																For w/e 19-10-57																															
																TOTAL																															
																For w/e 26-10-57																															
																TOTAL																															
Grand Total for India (Excluding Delhi, Himachal Pradesh, Kerala, Madhya Pradesh, Mysore, Rajasthan).																																															
Corresponding Total for w/e 2-11-57																																															
Corresponding Total for w/e 26-11-57																																															

Explanation of Symbols used C.—Cases ; D.—Deaths ; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th November, 1957—concl'd.

CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						PLAGUE																																																																	
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.																																																																	
POLIOMYELITIS												—																																																																																			
(Information based on patients treated in hospitals in important towns)												Place												Fortnight ending												Cases												Deaths																																															
												Madras												30-9-57												4												Paretic																																															
Place												Fortnight ending												Cases												Deaths												do.												do.												4												Non-paretic											
Punjab												15-11-57												14												Paretic												do.												15-10-57												4												Paretic											
do.												do.												5												..												do.												do.												12												Non-paretic											
Madras												31-8-57												5												Paretic												West Bengal												15-7-57																						
do.												do.												17												Non-paretic												do.												31-7-57												6												Paretic											
do.												15-9-57												10												Paretic												do.												15-8-57																						
do.												do.												11												Non-paretic												do.												31-8-57												2												Paretic											

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA);

The 2nd December, 1957.

H. R. SHARMA,

for Registrar General, India.

Prosper with the 'NATION'

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4 1/2 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3 1/2 per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4 1/2 per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1 1/2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3 1/2 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Andhra Pradesh		"N.R."												
Assam		"N.R."												
Bihar														
Arrah	72	6	4.3	2	6	4.3	..	
Bettiah	39	3	4.0	2	2.7	..	
Bhagalpur	130	28	11.2	1	5	14	5.6	..	
Bihar †														
Chapra	71	30	22.0	1	8	5.9	2	
Darbhanga	95	48	26.3	1	9	4.9	..	
Dhanbad	42	11	13.6	3	5	6.2	..	
Dinapur	45	
Gaya	153	33	11.2	13	1	12	..	40	13.7	..	
Hazaribagh	40	12	16.0	1	5	7	9.1	1	
Jamalpur	48	10	10.8	3	3.3	..	
Jamshedpur	253	114	23.4	3	..	17	3.5	4	
Katihar	53	
Monghyr	82	8	5.1	3	1	1	..	6	3.8	..	
Muzaffarpur	87	31	18.5	7	4	2	..	24	14.3	..	
Patna	341	236	36.0	4	24	3.7	..	
Ranchi	134	30	11.6	12	1	24	9.3	4	
TOTAL		1,685	600	18.5	1	51	13	18	..	189	5.8	11
Bombay														
Ahmedabad	915	829	47.1	13	18	85	..	339	19.3	111	
Ahmednagar	90	65	37.6	1	1	..	21	12.1	..	
Amalner	51	37	37.7	8	1	18	18.4	3	
Baroda	250	241	50.1	13	10	10	1	69	14.4	20	
Barsi	47	30	33.2	6	4	1	..	22	24.3	2	
Bhusawal	65	30	24.0	1	..	1	..	6	4.8	3	
Broach	68	89	68.1	9	..	8	..	31	23.7	..	
Cambay	42	32	39.6	3	..	11	13.6	..	
Chalisgaon	36	17	24.6	2	7	10.1	2	
Dhulia	92	36	20.3	6	..	4	..	15	8.5	3	
Godra	41	38	48.2	4	7	8.9	1	
Greater Bombay	3590	1762	25.5	..	1	..	5	35	142	..	748	10.8	187	
Jalgaon	82	32	20.3	2	..	3	1	12	7.6	1	
Kalyan	76	29	29.8	1	..	3	..	11	7.5	1	
Kolhapur	164	85	26.9	3	..	4	..	23	7.3	6	
Malegaon	65	58	46.4	12	1	3	..	19	15.2	5	
Miraj	45	23	26.6	1	1	..	7	8.1	1	
Nadiad	73	73	52.0	..	5	..	10	1	30	21.4	7	
Nandurbar	36	25	36.1	1	1	6	8.7	..	
Nasik	124	90	37.7	3	6	2	..	40	16.8	8	
Navsari	51	28	28.5	2	..	1	..	9	9.2	4	
Pandharpur	45	33	38.1	6	4	7	..	33	38.1	11	
Patan	48	46	49.8	1	..	3	..	9	9.8	2	
Poona	634	349	28.6	7	20	..	133	10.9	34	
Sangli	60	43	37.3	2	..	1	..	10	8.7	..	
Satara	41	26	33.0	2	2	..	16	20.3	2	
Sholapur	308	284	47.9	18	8	39	..	123	20.8	29	
Surat	257	240	48.6	9	4	4	1	87	17.6	24	
Thana	64	34	27.6	1	1	2	10	8.1	..	
Bhavnagar	158	125	40.5	7	3	13	..	47	15.5	7	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bombay—contd.															
Dhoraji	48	24	26.0	2	..	1	..	8	8.7	1		
Gondal†															
Jamnagar	126	14	5.8	4	4	6	..	21	8.7	6		
Junagadh	66	37	29.2	9	..	5	..	21	16.5	6		
Morvi	43	21	25.4	4	..	1	..	6	7.3	1		
Porbander	66	15	11.8	9	3	1	..	25	19.7	10		
Rajkot	175	98	29.1	1	1	..	18	6	13	..	50	14.9	15		
Veraval†															
Surendranagar	44	15	17.7	5	7	8.3	..		
Nagpur	546	444	42.3	4	50	16	27	4	283	26.9	87		
Achalpur	39	37	49.3	2	7	9.3	..		
Akola	108	99	47.7	13	..	3	..	37	17.8	4		
Amravati†															
Chanda	44	44	52.0	5	..	2	..	16	18.9	5		
Gondia	47	35	38.7	8	..	1	..	14	14.5	5		
Hinganghatt†															
Khangaon	44	24	28.4	6	9	10.6	2		
Wardha	47	30	33.2	1	6	6.6	1		
Yeotmal	42	24	29.7	4	2	10	12.4	..		
Kamptee	37	25	35.1	2	1	3	..	16	22.5	7		
Aurangabad	76	12	8.2	1	2	4	2.7	..		
Lathur	42	24	29.7	4	..	6	7.4	..		
Nanded	84	22	13.6	2	..	2	..	8	5.0	..		
Parbhani	41	7	8.9	2	..	1	..	4	5.1	..		
Patna	72	8	5.8	2	..	2	..	6	4.3	1		
TOTAL	9,455	5,888	32.4	5	7	..	293	147	434	9	2,483	13.7	625		
Delhi															
"N.R."															
Kerala															
Alleppey	155	65	21.8	3	5	35	11.7	4		
Changanacherry†															
Kottayam†															
Ernakulam†															
Mattancherry	87	18	10.8	2	12	7.2	1		
Quilon	77	171	115.5	2	3	17	11.5	1		
Trichur	78	37	24.7	3	1	16	10.7	1		
Trivandrum†															
Kozhikode†															
Palghat	79	50	32.9	1	..	8	..	24	15.8	5		
Cannanore	48	28	30.3	1	3	..	7	7.6	..		
Tellicherry	43	35	42.3	5	..	17	20.5	2		
Cochin	32	28	45.5	2	10	16.3	..		
TOTAL	599	432	37.5	13	10	16	..	138	12.0	14		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fever ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras—													
Ambur	46	37	41.8	1	3	..	5	5.7	..
Aruppukottai	58	51	45.7	6	3	25	22.4	10
Bodinayakur	41	17	21.6	2	5	6.3	1
Chidambaram	41	27	34.2	2	1	..	15	19.0	4
Coimbatore	242	279	60.0	1	11	9	2	73	15.7	18
Cuddalore	75	47	32.6	2	3	..	11	7.6	2
Dindigul	93	54	30.2	4	3	1	..	28	15.7	5
Erode	70	70	52.0	1	1	5	..	17	12.6	3
Gobichetty Palayan	40	25	32.5	3	3.9	..
Guddiyattam	54	38	36.6	2	6	1	1	16	15.4	9
Kancheepuram	92	72	40.7	1	..	8	..	31	17.5	10
Karajkudi	45	20	23.1	..	2	..	3	1	2	..	15	17.3	1
Karur	52	43	43.0	1	..	3	..	16	16.0	1
Kumbakonam	108	93	44.8	2	5	2	..	33	15.9	8
Madras City	1,770	1,286	37.8	9	11	..	85	73	160	2	666	19.6	175
Madurai	443	248	29.1	..	1	..	12	5	16	..	149	17.5	47
Mayuram	51	58	59.1	1	..	20	20.4	3
Mattapalayam	42	6	7.4	1	6	7.4	2
Nacapattinam	61	58	49.4	3	1	1	..	20	17.0	3
Nagercoil	97	25	13.4	1	2	2	..	9	4.8	1
Ootacamund	49	28	29.7	5	..	9	9.6	1
Palni	41	22	27.9	1	2	..	7	8.9	1
Palayamkottai	46	46	52.0	1	2	1	20	22.6	4
Periyakulam	34	32	48.9	1	3	1	..	14	21.4	5
Pollachi	53	45	44.2	..	3	1	3	..	19	18.6	8
Pudukottai	51	44	44.9	2	..	2	..	13	13.3	1
Rajapalayam	71	53	38.8	..	1	..	2	3	2	..	18	13.2	7
Salem	250	130	27.0	..	3	..	5	2	7	..	49	10.2	4
Sriangam	43	52	62.9	1	..	6	7.3	..
Srivikippattur	44	26	30.7	1	2	1	1	14	16.5	3
Tanjore	122	136	58.0	1	..	36	15.3	7
Tiruchirappalli	258	107	21.6	3	4	9	2	76	15.3	15
Tirunelveli	82	61	38.7	3	2	6	..	24	15.2	9
Tiruppur	65	40	32.0	1	1	1	..	12	9.6	3
Tiruvannamala	46	15	17.0	2	..	8	9.0	5
Tuticorin	114	98	44.7	4	11	1	44	20.1	20
Vaniyambadi	44	15	17.7	4	1	10	11.8	2
Vellore	129	128	51.6	7	10	1	63	25.4	17
Villapuram	40	31	40.3	1	1	..	8	10.4	4
Virudhunagar	54	56	54.0	1	..	5	..	17	16.4	7
TOTAL	5,157	3,719	37.5	9	21	..	141	151	294	12	1,630	16.4	426
Mysore													
Bangalore	1,023	637	32.4	..	4	..	12	55	93	..	277	14.1	..
Mysore	306	151	25.7	19	6	6	..	70	11.9	..
Kolar Gold Fields	176	134	39.6	..	1	..	2	3	4	..	26	17.7	..
Bellary	80	36	23.4	..	1	..	1	16	10.4	..
Davangere	72	23	16.6	3	1	..	1	8	5.8	..
Shimoga	59	29	25.6	10	10	8.8	..
Bhadravathi													
Hospet	47	35	38.7	3	8	8.9	..
Tumkur	45	18	20.8

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used : B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil Information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

		Deaths from :—														
Town		Mid.-year Popn. Est. (000)		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Mysore—contd.																
Kolar†	• •	32	6	9.8	..	
Chitaldrug																
Hassan†																
Bidar†	• •	93	40	22.4	4	..	5	11	6.2	..	
Gulberga	• •	67	26	20.2	..	—	—	1	..	1	2	1.5	..	
Rajchur																
Belgaum	• •	113	68	31.3	—	1	4	36	16.6	..	
Bijapur†	• •	79	26	17.1	1	..	1	8	5.2	..	
Dharwar																
Mangalore	• •	141	84	31.0	2	1	24	8.8	..	
Bagalkot†																
Hubli†																
Gadag (Bettigere)	•	73	52	37.0	3	1	1	1	1	23	16.4	..	
TOTAL		2,406	1359	29.4	..	6	..	60	72	112	2	2	525	11.3	..	
Orissa																
Behrampur	• • •	75	25	17.3	..	1	...	1	2	1	20	13.9	8	
Cuttack	• • •	121	140	60.2	9	8	11	59	25.4	10	
Puri†																
TOTAL	•	196	165	43.8	..	1	..	10	10	12	79	21.0	18	
Pondicherry	• •	69	74	55.8	3	4	2	1	1	26	19.6	20	
Punjab																
Ambala	• • •	67	66	51.2	5	6	8	20	15.5	7	
Amritsar	• • •	351	257	38.1	7	25	1	1	85	12.6	14	
Batala	• • •	64	46	37.4	5	..	2	9	7.3	2	
Bhiwani	• • •	58	62	55.6	5	..	1	11	9.9	3	
Ferozepore	• • •	46	38	43.0	1	..	6	11	12.4	1	
Hissar	• • •	40	36	46.8	5	..	1	8	10.4	5	
Hoshiarpur	• • •	52	43	43.0	5	12	12.0	3	
Jullundur	• • •	207	169	42.4	5	4	7	22	5.5	3	
Karnal	• • •	74	45	31.6	1	..	1	4	2.8	1	
Ludhiana	• • •	182	179	51.1	3	1	10	36	10.3	14	
Moga	• • •	42	22	27.2	3	..	2	8	9.9	1	
Panipat	• • •	66	50	39.4	10	..	1	16	12.6	3	
Pathankot	• • •	36	41	59.2	1	2	2.9	..	
Rewari,†																
Rohtak	• • •	110	70	33.1	1	1	14	6.6	5	
Simla	• • •	51	22	22.4	—	..	—	1	6	6.1	1	
Sonapat	• • •	35	43	64.0	4	6	8.9	..	
Bhatinda	• • •	40	31	40.3	3	3	3.9	..	
Malerkotla	• • •	35	39	58.0	1	5	7.4	..	
Patiala	• • •	115	82	37.1	17	..	3	35	15.8	13	
TOTAL		1,671	1,341	41.7	—	..	—	74	19	69	1	1	313	9.7	76	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan														
Ajmer . . .	230	85	19.2	5	1	10	..	26	5.9	3	
Alwar†														
Beawar . . .	61	21	17.9	7	..	1	..	9	7.7	5	
Bharatpur†														
Bi kaner . . .	118	40	17.6	2	..	5	..	16	7.1	1	
Cvuru . . .	49	4	4.2	1	1.1	..	
Ganganagar†														
Jaipur†														
Jodhpur . . .	207	57	14.3	16	5	7	1	49	12.3	7	
Kotah†														
Sikar . . .	52	14	14.0	6	..	3	..	12	12.0	3	
Tonk . . .	46	8	9.0	1	1.1	..	
Udaipur†														
TOTAL .	763	229	15.6	36	6	26	1	114	7.8	19	
Uttar Pradesh														
Agra	385	325	43.9	8	50	..	123	16.6	38	
Allahabad . . .	358	175	25.4	1	6	25	..	74	10.7	15	
Amroha	61	25	21.3	5	1	2	..	11	9.4	5	
Bahraich	48	15	16.3	2	..	3	3.2	1	
Banaras	394	381	50.3	..	1	..	39	8	21	..	199	26.3	46	
Banda†														
Bareilly	206	80	20.2	5	2	6	..	21	5.3	3	
Basti†														
Ballia†														
Bijnor	32	2	3.2	
Budaun	54	30	29.0	4	..	3	..	12	11.6	2	
Bulandshahr . . .	43	13	15.7	4	4	4.8	1	
Chandauli	42	16	19.8	1	..	1	..	5	6.2	..	
Dehra Dun	153	83	28.2	2	..	19	6.5	8	
Etawah†														
Faizabad-Ayodhya†														
Farrukhabad-Fatehgarh	84	44	27.2	5	1	6	..	17	10.5	..	
Ferozabad	82	70	44.4	3	1	1	..	12	7.6	1	
Gazipur	37	26	36.5	6	10	14.1	4	
Ghaziabad	48	52	56.5	5	7	7.6	3	
Gonda	35	5	7.4	1	1.5	..	
Gorakhpur	143	66	24.0	7	2	3	..	22	8.0	4	
Hapur	50	31	32.2	3	..	2	..	8	8.3	2	
Hardwar	67	42	32.6	6	1	3	..	15	11.6	2	
Hathras	64	61	49.6	13	1	3	..	22	17.9	5	
Jaunpur	58	30	27.0	4	..	3	..	12	10.8	1	
Jhansi	119	84	36.7	11	1	1	..	26	11.4	9	
Kanpur	757	413	28.4	122	22	47	4	318	21.9	88	
Kasganj	35	28	41.6	
Khurja	41	18	22.8	10	1	1	..	13	16.5	2	
Koil-Aligarh	154	48	16.2	13	7	2	..	33	11.1	11	
Lucknow†														
Mathura	114	133	60.7	10	1	11	..	27	12.3	6	
Mau-Nath Bhanjan†														
Meerut	191	128	34.8	6	1	6	..	21	5.7	3	
Mirzapur Vindhyachal	99	54	28.4	7	1	5	..	19	10.0	3	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Moradabad . . .	167	132	41·1	6	1	8	..	30	9·3	3
Muzaffarnagar . . .	75	45	31·2	14	..	3	..	23	16·0	8
Pilibhit†													
Rampur . . .	164	38	12·0	3	1	1	..	8	2·5	2
Saharanpur . . .	167	159	49·5	32	2	40	12·5	10
Sambhal . . .	66	24	18·9	2	1	7	5·5	1
Sitapur . . .	51	28	28·5	..	1	—	7	10	10·2	2
Shahjahanpur . . .	112	74	34·4	9	2	19	8·8	6
{TOTAL . . .	4,756	2,978	32·6	..	2	..	363	72	218	4	1,191	13·0	295

West Bengal

"N.R."

ARREAR RETURNS†

West Bengal

For w/e 15·10·57

Asansol†													
Baidyhati . . .	34
Bally . . .	67
Bankura . . .	50
Bansberia†													
Basirhat . . .	40
Baranagar . . .	93	32	17·9	2	5	1	...	12	6·7	3
Behrampur . . .	65	1	...	1	1	8	6·4	2
Bhadreswar . . .	35
Bhatpara . . .	145	19	6·8	22	...	7	...	42	15·0	12
Burdwan . . .	84	28	17·3	2	1	3	...	15	9·3	...
Calcutta . . .	3,060	1,560	26·5	3	3	...	39	56	162	4	634	10·8	169
Champedani . . .	41
Cooch-Behar†													
Darjeeling †													
English Bazar . . .	37
Garden Reach . . .	127	15	6·1	1	2	...	10	4·1	1
Halisahar . . .	42
Hooghly-Chinsura . . .	61	96	81·8	2	2	3	...	14	11·9	5
Howrah . . .	487	119	12·7	2	2	...	5	16	41	...	155	16·6	58
Jalpaiguri . . .	50
Kamarhati †													
Kanchrapara †													
Krishnagar . . .	58
Midnapur . . .	45
Nabadip . . .	73	30	21·4	10	12	8·5	1
Naihati . . .	64
North Barrackpore . . .	37	2	2·8
Panihati . . .	68	2	4	14	10·7	...
Santipur . . .	51
Serampur . . .	86	41	24·9	1	3	...	2	...	16	9·7	3
Siliguri . . .	46	31	35·1	2	2·3	...
South Dum Dum . . .	87
South Suburban . . .	129	2	3	3	...	17	6·9	3
Titagarh . . .	79	11	7·2	19	19	12·5	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.‡

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); =Nil information; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.†	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Purulia	49	8	8.5	1	1	...	3	3.2	...
Budge-Budge	32	1	2	3.3	...
Chandernagore	57	41	37.4	1	1	1	14	12.8	1
Kharagpur	77	2	1.4
TOTAL	5,556	2,035	19.0	6	6	...	110.	91	226	5	989	9.3	261

For w/e 12-10-57

Asansol†													
Baidyabati	34	22	33.6	1	3	4.6	...
Bally	67	13	10.1	2	...	5	3.9	2
Bankura	50	43	44.7	1	...	1	...	5	5.2	...
Bansberia†													
Basirhat	40	16	20.8	3	1	...	6	7.8	...
Baranagar	93	51	28.5	1	7	...	16	8.9	4
Behrampur	65	184	147.2	...	1	...	3	2	2	...	27	21.6	5
Bhadreswar†													
Bhatpara	145	37	13.3	1	18	1	5	...	42	15.1	12
Burdwan	84	17	10.5	1	1	...	10	6.2	...
Calcutta	3,060	1,665	28.3	7	2	...	33	47	162	2	652	11.1	195
Champadani	41	34	43.1	1	2	2.5	...
Cooch-Behar†													
Darjeeling	39	21	28.0	3	7	9.3	...
English Bazar	37	58	81.5	4	1	8	11.2	...
Garden Reach	127	19	7.8	2	...	4	...	15	6.1	4
Halisahar	42	1	1.2
Hooghly-Chinsura	61	80	68.2	1	2	2	1	...	12	10.2	4
Howrah	487	244	26.1	2	3	...	7	16	38	...	154	16.4	52
Jalpaiguri†													
Kamarhati†													
Kanchrapara	78	33	22.0	2	1.4	...
Krishnagar	58	1	0.9	3	2.7	...
Midnapur	45	68	78.6	2	2	2	...	19	22.0	...
Nabadwip	73	38	27.1	8	1	12	8.5	1
Naihati	64	8	6.5	1	...	2	...	4	3.3	...
North Barrackpore	37	4	5.6	1	1	1.4	...
Panihati	68	9	6.9	2	3	1	12	9.2	...
Sardipur	51	35	35.7	1	4	4.1	...
Sehrampur	86	8	1	4	...	28	17.0	...
Shliguri	46	24	27.1	1	...	4	4.5	...
South Dum Dum	87	1	0.7	1	0.6	...
South Suburban	129	13	5.3	2	3	...	13	5.2	3
Titagarh	79	25	16.5	10	...	2	1	13	8.6	1
Purulia	49	7	7.4	1	...	1	3	3.2	...
Budge-Budge	32	29	47.1	...	1	...	4	4	3	...	14	22.8	...
Chandernagore	57	82	74.8	2	1	18	16.4	3
Kharagpur	77
TOTAL	5,588	2,882	26.8	17	7	...	110	88	241	4	1,115	10.4	286

For w/e 19-10-57

Asansol†													
Baidyabati†													
Bally	67	13	10.1	1	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ...=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

Deaths from:—

Town	Mid-year Popn.Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Bankhura	50	13	13·6	2	..	1	..	7	7·3	..
Bansberia													
Basirhat	40	6	7·8	3	3·9	..
Baranagar	93	37	20·7	1	2	4	9	..	24	13·5	7
Behrampur	65	49	39·3	..	1	..	3	2	21	16·8	4
Badreswar	35	6	8·9	2	..	1	..	3	4·5	..
Bhatpara	145	32	11·5	19	1	2	..	34	12·2	7
Burdwan	84	23	14·3	3	1	..	13	8·1	..
Calcutta	3,060	1,712	29·2	3	43	49	171	1	659	11·2	187
Champadani	41	73	47·1	2	8	10·2	..
Cooch-Behar†													
Darjeeling	39	15	20·1	5	8	10·7	..
English Bazar	37	4	5·6
Garden Reach	127	15	6·2	7	2	2	..	13	5·3	1
Halisahar	42	4	5·0	6	7·4	..
Hooghly Chinsura	61	71	60·7	1	4	..	1	16	13·7	2
Howrah	487	206	22·1	1	1	..	1	13	36	..	141	15·1	57
Jalpaiguri	50	64	66·7
Kamarhati†													
Kanchrapara	78	20	13·4	1	..	1	0·7	..
Krishnagar	58	2	1·8	..
Midnapur	45	22	25·5	2	1	..	8	9·3	..
Nabadwip†													
Naihati	64	4	3·3	1	..	5	..	11	9·0	..
North Barrackpore	37	2	2·8	1	..	1	..	2	2·8	..
Panihati	68	1	0·8	5	3·8	..
Sardipur	51	19	19·4	1	1	..	6	6·1	3
Sehrampur	86	58	35·2	2	3	1	..	22	13·3	8
Shliguri †													
South Dum Dum	87	3	1·8
South Suburban	129	9	3·6	3	4	..	13	5·3	4
Titagarh	79	42	27·7	14	..	4	1	20	13·2	3
Purulia	49	8	8·5	2	3	3·2	..
Chandernagore	57	65	59·5	2	1	..	15	13·7	..
Kharagpur	77	8	5·4	1	0·7	..
Budge-Budge	32	19	31·0	1	1	3	6	9·8	..
TOTAL	5,520	2,587	24·4	6	2	..	109	92	242	3	1,073	10·1	283

Andhra Pradesh

For *week* 19-10-57.

Adoni	66	54	42·5	2	2	2	..	22	17·3	5
Anantpur	39	35	46·7	1	..	10	13·3	7
Anakapalli	47	30	33·2	4	..	1	1	20	22·1	4
Bhimavaram	37	26	36·5	2	..	1	..	11	15·5	..
Chirala	45	33	38·1	3	..	2	..	9	10·4	1
Chittoor	46	33	37·3	2	1	12	13·6	2
Cuddapah	44	32	37·8	6	..	6	3	30	35·5	4
Ellore	102	53	27·0	2	1	3	..	22	11·2	4
Gudivada	37	45	63·2	2	..	7	9·8	..
Guntur	153	173	58·8	6	7	1	55	18·7	10
Guntakal	39	22	29·3	2	..	2	..	9	12·0	2
Kakinada	117	63	28·0	4	..	2	..	20	8·9	1
Kurnool	70	73	54·2	3	3	8	25	18·6	11
Masulipatam	91	98	56·0	6	1	3	..	31	17·7	17
Nandyal	38	24	32·8	1	3	3	..	13	17·8	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); R . . =Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

Town	Mid. Year Popn. Est. (000)	Deaths from :—											Total	D.R.	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh—contd.															
Nellore	98	82	43.5	4	1	3	..	37	19.6	12		
Proddutur	43	9	10.9	..	4	..	1	..	2	..	9	10.9			
Rajahmundry	126	85	35.1	11	40	16.5	7		
Tenali	70	76	56.5	1	1	14	10.4	3		
Vijayanada	210	135	33.4	..	1	..	10	5	6	2	58	14.4	15		
Visakhapatnam	133	69	27.0	..	2	..	9	9	16	..	52	20.3	10		
Vizianagaram	77	56	37.8	..	1	..	5	4	..	2	38	25.7	4		
Hyderabad	1,102	232	10.9	20	3	34	..	20.9	9.9	23		
Warrangal†															
Nizamabad	70	10	7.4	1	2	1.5	1		
Kothagudiam†															
Secunderabad	188	105	29.0	2	2	7	..	34	9.4	5		
TOTAL	3,088	1,653	27.8	..	8	..	97	40	107	19	789	13.3	141		

For w/e 26-10-57

Adoni	66	48	37.8	1	2	2	..	20	15.8	4		
Anantpur	39	25	33.3	1	1	2	1	12	16.0	4		
Anakapalli†															
Bhimavaram	37	23	32.3	2	..	1	..	8	13.9	..		
Chirala	45	43	49.7	5	2	3	..	26	30.0	3		
Chittoor	46	32	36.2	3	1	9	10.2	2		
Cuddapah	44	39	46.1	..	3	..	3	..	2	..	14	16.5	..		
Ellore	102	44	22.4	4	3	1	1	32	16.3	2		
Gudivada	37	24	33.7	2	..	1	..	5	7.0	1		
Guntur	153	165	56.1	4	3	6	..	44	15.0	12		
Guntakal	39	15	20.0	3	1	10	13.3	2		
Kakinada†															
Kurnool	70	73	54.2	3	4	..	22	16.2	8		
Masulipatam	91	66	37.7	2	2	2	..	18	10.3	3		
Nandyal	38	33	45.2	1	2	3	3	17	23.3	3		
Nellore	98	100	53.1	1	4	3	1	40	21.2	10		
Proddutur†															
Rajahmundry	126	52	21.5	3	22	9.1	4		
Tenali	70	39	29.0	..	1	..	2	..	4	1	14	10.4	5		
Vijayanada	210	100	24.8	..	4	..	8	4	5	1	46	11.4	14		
Visakhapatnam	133	65	24.4	..	4	..	7	5	11	..	42	16.4	13		
Vizianagaram	77	42	28.4	..	1	..	6	..	1	1	31	20.9	5		
Hyderabad	1,102	248	11.7	22	3	15	..	135	6.4	17		
Warrangal	160	32	10.4	6	1	10	3.3	..		
Nizamabad†															
Kothagudiam	76	34	23.3	17	11.6	..		
Secunderabad	188	110	30.4	2	..	5	..	24	6.6	4		
TOTAL	3,047	1,452	24.8	..	13	..	88	35	71	11	618	10.5	116		

Bombay

For w/e 26-10-57.

Ahemdabad	915	484	27.5	8	12	34	..	166	9.4	64		
Ahemdnagar	90	45	26.0	2	1	20	11.6	..		
Amalner	51	27	27.5	2	..	3	..	10	10.2	2		
Baroda	250	105	21.8	22	7	18	..	94	19.6	25		
Barsi	47	23	25.4	5	..	1	1	20	22.1	3		
Bhusawal	65	27	21.6	2	..	9	7.2	..		

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); R=Nil information; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—*contd.*

		Deaths from :—												
Town	Mid. Year Popn. Est. (000)												Total D.R.	I.D.
		B.	B.R.*	C.	S.	P.	F.F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Broach	68	76	58.1	4	..	10	..	33	25.2	5	
Cambay	42	22	27.2	1	1	11	13.6	..	
Chalisgaon	36	22	31.8	3	..	1	..	9	13.0	1	
Dhuilia	92	43	24.3	3	1	3	..	12	6.8	1	
Godhra	41	24	30.4	5	..	1	..	7	8.9	..	
Greater Bombay	3,590	1,314	19.0	..	1	..	2	40	115	3	653	19.5	172	
Jalgaon	82	23	14.6	6	..	1	..	18	11.4	1	
Kalyan	76	48	32.8	2	..	2	..	8	5.5	3	
Kolhapur	164	85	26.9	1	2	5	..	16	5.1	2	
Malegaon	65	38	30.4	17	17	13.6	3	
Miraj	45	46	53.2	3	..	2	..	19	21.9	..	
Nadiad	73	34	24.2	8	1	17	12.1	6	
Nandurbar	36	22	31.8	1	..	12	17.3	1	
Nasik	124	78	32.7	3	2	1	..	22	9.2	5	
Narsari	51	35	35.7	5	13	13.3	4	
Pandharpur	45	51	58.9	4	3	5	..	21	24.3	5	
Patan	48	39	42.3	2	..	6	6.5	1	
Poonat†														
Sangli	60	17	14.7	1	1	1	..	12	10.4	1	
Satara	41	41	52.0	5	..	20	25.4	5	
Sholapur	308	230	38.8	9	14	43	..	127	21.4	23	
Sarat	257	200	40.4	18	5	13	..	120	24.2	30	
Thana	64	40	32.5	1	..	1	1	21	17.1	6	
Bhavnagar	158	14	4.6	6	2	6	..	19	6.3	1	
Dhoraji	48	18	19.5	3	2	1	..	6	6.5	..	
Gondal†														
Jamnagar	126	8	3.3	3	..	1	..	13	5.4	2	
Junagarh	66	38	29.9	..	1	..	5	1	..	2	20	15.8	4	
Morir	43	9	10.9	1	..	3	3.6	..	
Porbander	66	6	4.7	11	3	2	..	21	16.5	1	
Rajkot	175	64	19.0	..	2	..	12	3	13	..	48	14.3	17	
Veraval	47	8	8.9	6	4	2	..	14	15.5	2	
Surendranagar	44	13	15.4	5	7	8.0	..	
Nagpur	546	730	69.5	2	1	..	41	19	17	2	256	24.4	74	
Achalpur†														
Akola	108	139	66.9	2	7	1	2	..	27	13.0	4	
Amravati	104	100	50.0	9	2	1	6	33	16.5	..	
Chanda	44	35	41.4	3	1	1	..	13	15.4	5	
Gondia	47	30	33.2	5	6	6.6	2	
Hinganghat	36	31	42.0	7	2	9	13.0	2	
Khangao	44	41	48.5	6	12	14.2	2	
Waroha	47	24	26.6	4	..	13	14.4	2	
Yeotmal	42	29	35.9	6	2	1	..	18	22.3	..	
Kamptee	37	20	28.1	1	1	5	7.0	1	
Aurangabad	76	7	4.8	6	4.1	..	
Lathur	42	28	34.7	2	..	4	..	14	17.3	..	
Nanded	84	26	16.1	3	..	2	..	9	5.6	..	
Parbhani	41	7	8.4	2	..	2	..	4	5.1	..	
Patna	72	5	3.6	4	2.8	..	
TOTAL	8,969	4,669	..	4	5	..	278	133	330	15	2,093	12.1	488	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figure's not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox, P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 9th November, 1957—concl'd.

Town	Mid-year Popn-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Madhya Pradesh														
For w/e 12-10-57														
Bilaspur . . .	40	54	70.2	—	5	..	1	..	14	18.2	3	
Burhanpur†														
Damoh†														
Jabalpur†														
Khandwa†														
Raipur†														
Murwar†														
Sagar†														
Chhindwara . . .	32	27	43.8	6	3	1	..	25	40.6	7	
Raigarh†														
Itarsi . . .	32	16	26.0	2	2	4	6.5	4	
Greater Gwalior .	281	121	22.3	5	..	1	..	18	3.3	1	
Indore†														
Ratlam†														
Ujjain . . .	162	65	20.8	10	35	11.2	6	
Bhopal City†														
Mandsaur . . .	42	8	9.9	—	—	—	1	..	1	..	2	2.4	..	
TOTAL . . .	589	291	25.6	29	5	4	..	98	8.6	21	
For w/e 15-9-57														
Khandwa . . .	61	29	24.7	6	1	1	..	9	7.6	..	
Burhanpur . . .	81	73	46.8	16	4	1	..	37	23.7	..	
For w/e 22-9-57														
Khandwa . . .	61	22	18.7	6	9	7.6	..	
Burhanpur . . .	81	57	36.5	6	3	16	10.2	..	
For w/e 19-10-1957														
Bilaspur . . .	40	35	45.6	8	..	1	..	31	40.3	6	
Burhanpur . . .	81	35	22.4	7	1	9	5.7	..	
Damoh†														
Jabalpur†														
Khandwa . . .	61	30	20.5	3	..	1	..	5	4.2	..	
Raipur†														
Murwar†														
Sagar†														
Chhindwara†														
Raigarh†														
Itarsi . . .	32	24	39.0	3	1	6	9.7	1	
Greater Gwalior .	281	66	12.2	8	1	14	2.5	2	
Indore . . .	381	318	43.4	12	3	11	..	64	10.4	25	
Ratlam . . .	76	30	20.5	9	..	6	..	23	15.7	..	
Ujjain . . .	162	65	20.8	17	43	13.8	16	
Bhopal City†														
Mandsaur . . .	42	10	12.3	
TOTAL . . .	1,156	613	27.5	—	67	6	19	..	195	8.7	50	
for w/e 28-9-57														
Khandwa . . .	61	24	20.4	..	1	..	5	1	1	—	13	11.0	..	
Burhanpur . . .	81	73	46.8	8	18	11.5	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used : B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 9th November, 1957 relate to 194 towns with an estimated population of 26,757 thousands. Information about Andhra Pradesh, Assam, Delhi, Madhya Pradesh, and West Bengal could not be included. The total number of towns is 319 and their population is 42,930 thousands. Thus 61% of the total number of towns representing 62% of the total population is covered in this statement.

The number of births and deaths recorded in these towns were 16,785 and 6,688 representing birth and death rates of 32.6 and 13.0 respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States:—

States	Current		Corresponding	
	B.R.	D.R.	B.R.	D.R.
Bihar . . .	18.5	5.8	23.8	7.9
Bombay . . .	32.4	13.7	36.0	13.0
Kerala . . .	37.5	12.0	42.1	12.8
Madras . . .	37.5	16.4	47.7	20.0
Mysore . . .	29.4	11.3	41.8	18.4
Orissa . . .	43.8	21.0	31.6	14.8
Pondicherry . . .	55.8	19.6	62.7	22.9
Punjab . . .	41.7	9.7	52.5	13.8
Rajasthan . . .	15.6	7.8	14.8	10.9
Uttar Pradesh . . .	32.6	13.0	39.2	14.8
India . . .	32.6	13.0	39.1	14.8

NEW DELHI-2 (INDIA);
The 2nd December, 1957. }

H. R. SHARMA,
for Registrar General, India.